



Oracle SQL Class Outline

The Basics of SQL

Introduction

Setting Your Default SCHEMA

SELECT * (All Columns) in a Table

SELECT Specific Columns in a Table

Commas in the Front or Back?

Place your Commas in front for better Debugging Capabilities

Sort the Data with the ORDER BY Keyword

ORDER BY Defaults to Ascending

Use the Name or the Number in your ORDER BY Statement

Two Examples of ORDER BY using Different Techniques

Changing the ORDER BY to Descending Order

NULL Values sort First in Ascending Mode (Default)

NULL Values sort First in Descending Mode (DESC)

Major Sort vs. Minor Sorts

Multiple Sort Keys using Names vs. Numbers

Sorts are Alphabetical, NOT Logical

Using A CASE Statement to Sort Logically

How to ALIAS a Column Name

A Missing Comma can by Mistake become an Alias

Comments using Double Dashes are Single Line Comments

Comments for Multi-Lines

Comments for Multi-Lines as Double Dashes per Line

Formatting Number

Formatting Number Examples

Formatting Dates

Formatting Date Example

The WHERE Clause

The WHERE Clause limits Returning Rows

Double Quoted Aliases are for Reserved Words and Spaces

Character Data needs Single Quotes in the WHERE Clause

Character Data needs Single Quotes, but Numbers Don't

Comparisons against a Null Value

NULL means UNKNOWN DATA so Equal (=) won't Work

Use IS NULL or IS NOT NULL when dealing with NULLs

NULL is UNKNOWN DATA so NOT Equal won't Work

Use IS NULL or IS NOT NULL when dealing with NULLs

Using Greater Than or Equal To (\geq)

AND in the WHERE Clause

Troubleshooting AND

OR in the WHERE Clause

Troubleshooting Or

Troubleshooting Character Data

Using Different Columns in an AND Statement

Quiz – How many rows will return?

Answer to Quiz – How many rows will return?

What is the Order of Precedence?

Using Parentheses to change the Order of Precedence

Using an IN List in place of OR

The IN List is an Excellent Technique

IN List vs. OR brings the same Results

The IN List Can Use Character Data

Using a NOT IN List

Null Values in a NOT IN List Bring Back No Rows

A Technique for Handling Nulls with a NOT IN List

BETWEEN is Inclusive

NOT BETWEEN is Also Inclusive

LIKE uses Wildcards Percent ‘%’ and Underscore ‘_’

LIKE command Underscore is Wildcard for one Character

LIKE Command Works Differently on Char Vs Varchar

LIKE Command on Character Data

Quiz – What Data is Left Justified and what is Right?

Numbers are Right Justified and Character Data is Left

Answer – What Data is Left Justified and what is Right?

An Example of Data with Left and Right Justification

A Visual of CHARACTER Data vs. VARCHAR Data

Use the TRIM command to remove spaces on CHAR Data

Escape Character in the LIKE Command changes Wildcards

Escape Characters Turn off Wildcards in the LIKE Command

Quiz – Turn off that Wildcard

ANSWER – To Find that Wildcard

The Distinct Command

Distinct vs. GROUP BY

Quiz – How many rows come back from the Distinct?

Answer – How many rows come back from the Distinct?

Aggregation

Quiz – You calculate the Answer Set in your own Mind

Answer – You calculate the Answer Set in your own Mind

Quiz – You calculate the Answer Set in your own Mind

Answer – You calculate the Answer Set in your own Mind

The 3 Rules of Aggregation

There are Five Aggregates

Quiz – How many rows come back?

Answer – How many rows come back?

Troubleshooting Aggregates

GROUP BY delivers one row per Group

GROUP BY Dept_No Works GROUP BY 1 Fails

Limiting Rows and Improving Performance with WHERE

WHERE Clause in Aggregation limits unneeded Calculations

Keyword HAVING tests Aggregates after they are totaled

Keyword HAVING is like an Extra WHERE Clause for Totals

Keyword HAVING tests Aggregates after they are totaled

Getting the Average Values per Column

Average Values per Column for all Columns in a Table

Join Functions

A Two-Table Join Using Traditional Syntax

A two-table join using Non-ANSI Syntax with Table Alias

A two-table join using A Different Syntax

You Can Fully Qualify All Columns

A two-table join using ANSI Syntax

Both Queries have the same Results and Performance

Quiz – Can You Finish the Join Syntax?

Answer to Quiz – Can You Finish the Join Syntax?

Quiz – Can You Find the Error?

Answer to Quiz – Can You Find the Error?

Super Quiz – Can You Find the Difficult Error?

Answer to Super Quiz – Can You Find the Difficult Error?

Quiz – Which rows from both tables won't return?

Answer to Quiz – Which rows from both tables won't return?

LEFT OUTER JOIN

LEFT OUTER JOIN Results

LEFT OUTER JOIN Using (+)

RIGHT OUTER JOIN

RIGHT OUTER JOIN Example and Results

RIGHT OUTER JOIN Using (+)

FULL OUTER JOIN

FULL OUTER JOIN Results

Which Tables are the Left and which Tables are Right?

Answer - Which Tables are the Left and which are the Right?

INNER JOIN with Additional AND Clause

ANSI INNER JOIN with Additional AND Clause

ANSI INNER JOIN with Additional WHERE Clause

OUTER JOIN with Additional WHERE Clause

OUTER JOIN with Additional AND Clause

OUTER JOIN with Additional AND Clause Results

Quiz – Why is this considered an INNER JOIN?

Evaluation Order for Outer Queries

The DREADED Product Join

The DREADED Product Join Results

The Horrifying Cartesian product join

The ANSI Cartesian Join will ERROR

Quiz – Do these Joins Return the Same Answer Set?

Answer – Do these Joins Return the Same Answer Set?

The CROSS JOIN

The CROSS JOIN Answer Set

The Self Join

The Self Join with ANSI Syntax

Quiz – Will both queries bring back the same Answer Set?

Answer – Will both queries bring back the same Answer Set?

Quiz – Will both queries bring back the same Answer Set?

Answer – Will both queries bring back the same Answer Set?

How would you join these two tables?

An Associative Table is a Bridge that Joins Two Tables

Quiz – Can you write the 3-Table Join?

Answer to quiz – Can you write the 3-Table Join?

Quiz – Can you write the 3-Table Join to ANSI Syntax?

Answer – Can you write the 3-Table Join to ANSI Syntax?

Quiz – Can you Place the ON Clauses at the End?

Answer – Can you Place the ON Clauses at the End?

The 5-Table Join – Logical Insurance Model

Quiz - Write a Five Table Join Using ANSI Syntax

Answer - Write a Five Table Join Using ANSI Syntax

Quiz - Write a Five Table Join Using Non-ANSI Syntax

Answer - Write a Five Table Join Using Non-ANSI Syntax

Quiz –Re-Write this putting the ON clauses at the END

Answer –Re-Write this putting the ON clauses at the END

The Nexus Query Chameleon Writes the SQL for Users

Date Functions

Getting the System Date

Extracting the Day, Month, Year from the SYSDATE

The Current_Timestamp

Extracting From the Current_Timestamp

The ADD_MONTHS Command

Using the ADD_MONTHS Command to Add Years

Using the LAST_DAY Command

Calculating the Days until the End of the Month

Calculating the Months between Two Dates

NEXT_DAY Command Finds a Future Day of the Week

The ROUND Command

Another ROUND Example

The TRUNC Command

Another TRUNC Example

Adding Days and Minutes

How to Get the Difference in Hours

Add or Subtract Days Plus Format Dates and Dollars

Formatting Date Example

A Summary of Math Operations on Dates

The EXTRACT Command

Using Intervals

How a Simple Interval Handles Leap Year

Troubleshooting Intervals – Invalid Dates Error

OLAP Functions

The Row_Number Command

Quiz – How did the Row_Number Reset?

Quiz – How did the Row_Number Reset?

Using a Derived Table and Row_Number

Ordered Analytics OVER

RANK and DENSE RANK

RANK Defaults to Ascending Order

Getting RANK to Sort in DESC Order

RANK OVER and PARTITION BY

PERCENT_RANK OVER

PERCENT_RANK OVER with 14 rows in Calculation

PERCENT_RANK OVER with 21 rows in Calculation

Finding Gaps between Dates

CSUM – Rows Unbounded Preceding Explained

CSUM – Making Sense of the Data

CSUM – Making Even More Sense of the Data

CSUM – The Major and Minor Sort Key(s)

The ANSI CSUM – Getting a Sequential Number

Reset with a PARTITION BY Statement

PARTITION BY only Resets a Single OLAP not ALL of them

CURRENT ROW AND UNBOUNDED FOLLOWING

Different Windowing Options

Moving Sum has a Moving Window

How ANSI Moving SUM Handles the Sort

Quiz – How is that Total Calculated?

Answer to Quiz – How is that Total Calculated?

Moving SUM every 3-rows Vs a Continuous Average

Partition by Resets an ANSI OLAP

The Moving Window is Current Row and Preceding

Moving Average

Moving Average Using a CAST Statement

Moving Average every 3-rows Vs a Continuous Average

Partition by Resets an ANSI OLAP

Moving Difference using ANSI Syntax

Moving Difference using ANSI Syntax with Partition By

COUNT OVER for a Sequential Number

COUNT OVER Without Rows Unbounded Preceding

Quiz – What caused the COUNT OVER to Reset?

Answer to Quiz – What caused the COUNT OVER to Reset?

The MAX OVER Command

MAX OVER with PARTITION BY Reset

MAX OVER Without Rows Unbounded Preceding

The MIN OVER Command

MIN OVER Without Rows Unbounded Preceding

MIN OVER Using PARTITION BY to Reset

Finding a Value of a Column in the Next Row with MIN

The CSUM for Each Product_Id and the Next Start Date

Quiz – Fill in the Blank

Answer – Fill in the Blank

How Ntile Works

Ntile

Ntile Continued

Ntile Percentile

Another Ntile Example

Using Quantiles (Partitions of Four)

NTILE with a Single Sort Key

NTILE Using a Value of 10

NTILE with a Partition

Using FIRST_VALUE

FIRST_VALUE

FIRST_VALUE after Sorting by the Highest Value

FIRST_VALUE with Partitioning

FIRST_VALUE Combined with Row_Number

FIRST_VALUE and Row_Number with Different Sort

Using LAST_VALUE

LAST_VALUE

Using LAG and LEAD

LEAD

LEAD

LEAD With Partitioning

LEAD to Find the First Occurrence

Using LEAD

Using LEAD with an Offset of 2

Using LAG

Using LAG with an Offset of 2

LAG

LAG with Partitioning

MEDIAN with Partitioning

CUME_DIST

CUME_DIST with a Partition

SUM (SUM (n))

Temporary Tables

There are two types of Temporary Tables

CREATING A Derived Table

Creating Multiple Derived Tables in the WITH Command

Creating Multiple Derived Tables in the WITH Command

The Same Derived Query shown Two Different Ways

Most Derived Tables Are Used To Join To Other Tables

The Three Components of a Derived Table

Visualize This Derived Table

Our Join Example with A Different Column Aliasing Style

Column Aliasing Can Default For Normal Columns

Our Join Example With the WITH Syntax

Quiz - Answer the Questions

Answer to Quiz - Answer the Questions

Clever Tricks on Aliasing Columns in a Derived Table

An Example of Two Derived Tables in a Single Query

Example of Two Derived Tables in a Single WITH Statement

WITH RECURSIVE Derived Table Hierarchy

WITH RECURSIVE Derived Table Query

WITH RECURSIVE Derived Table Definition

WITH RECURSIVE Derived Table Seeding

WITH RECURSIVE Derived Table Looping

WITH RECURSIVE Derived Table Looping in Slow Motion

WITH RECURSIVE Derived Table Looping Continued

WITH RECURSIVE Derived Table Looping Continued

WITH RECURSIVE Derived Table Ends the Looping

WITH RECURSIVE Derived Table Definition

WITH RECURSIVE Final Answer Set

Creating and Populating a Global Temporary Table

Global Temporary Table Definitions Persist

Vital Information about Global Temporary Tables

ON COMMIT DELETE ROWS Example

Creating and Populating a Global Temporary Table

Creating a Global Temporary Table Using a CTAS

Creating a Global Temporary Table Using a CTAS Join

Creating a Temporary Table from Another's Space

A Global Temp Table That Populates Some of the Rows

A Temporary Table with Some of the Columns

Sub-query Functions

An IN List is much like a Subquery

An IN List Never has Duplicates – Just like a Subquery

The Subquery

The Three Steps of How a Basic Subquery Works

These are Equivalent Queries

The Final Answer Set from the Subquery

Quiz- Answer the Difficult Question

Answer to Quiz- Answer the Difficult Question

Should you use a Subquery or a Join?

Quiz- Write the Subquery

Answer to Quiz- Write the Subquery

Quiz- Write the More Difficult Subquery

Answer to Quiz- Write the More Difficult Subquery

Quiz – Write the Extreme Subquery

Answer to Quiz- Write the Extreme Subquery

Quiz- Write the Subquery with an Aggregate

Answer to Quiz- Write the Subquery with an Aggregate

Quiz- Write the Correlated Subquery

Answer to Quiz- Write the Correlated Subquery

The Basics of a Correlated Subquery

The Top Query always runs first in a Correlated Subquery

Correlated Subquery Example vs. a Join with a Derived Table

Quiz- A Second Chance to Write a Correlated Subquery

Answer - A Second Chance to Write a Correlated Subquery

Quiz- A Third Chance to Write a Correlated Subquery

Answer - A Third Chance to Write a Correlated Subquery

Quiz- Last Chance to Write a Correlated Subquery

Answer – Last Chance to Write a Correlated Subquery

Quiz – Write the Extreme Correlated Subquery

Answer To Quiz – Write the Extreme Correlated Subquery

Quiz- Write the NOT Subquery

Answer to Quiz- Write the NOT Subquery

Quiz- Write the Subquery using a WHERE Clause

Answer - Write the Subquery using a WHERE Clause

Quiz- Write the Subquery with Two Parameters

Answer to Quiz- Write the Subquery with Two Parameters

How the Double Parameter Subquery Works

More on how the Double Parameter Subquery Works

Quiz – Write the Triple Subquery

Answer to Quiz – Write the Triple Subquery

Quiz – How many rows return on a NOT IN with a NULL?

Answer – How many rows return on a NOT IN with a NULL?

How to handle a NOT IN with potential NULL Values

IN is equivalent to =ANY

Using a Correlated Exists

How a Correlated Exists matches up

The Correlated NOT Exists

Strings

The LENGTH Command Counts Characters

The LENGTH Command – Spaces can Count too

The LENGTH Command and Char (20) Data

The LENGTH Needs a TRIM

The TRIM Command trims both Leading and Trailing Spaces

A Visual of the TRIM Command Using Concatenation

Trim and Trailing is Case Sensitive

How to TRIM Trailing Letters

The SUBSTRING Command

How SUBSTRING Works with NO ENDING POSITION

How SUBSTRING Works with a Starting Position of -1

How SUBSTRING Works with an Ending Position of 0

An Example using SUBSTRING, TRIM and CHAR Together

Concatenation

Concatenation and SUBSTRING

Four Concatenations Together

UPPER and LOWER Commands

LPAD and RPAD

SOUNDEX

REGEXP_LIKE

REGEXP_REPLACE

REGEXP_INSTR

REGEXP_INSTR (1 of 4)

REGEXP_INSTR Options (2 of 4)

REGEXP_INSTR Options (3 of 4)

REGEXP_INSTR Options (4 of 4)

REGEXP_INSTR Example

REGEXP_INSTR Example 2

Interrogating the Data

Using the LOWER Command

A LOWER Command Example

Using the UPPER Command

An UPPER Command Example

Non-Letters are Unaffected by UPPER and LOWER

Quiz – Fill in the Answers for the NULLIF Command

Quiz – Fill in the Answers for the NULLIF Command

The COALESCE Command

The COALESCE Answer Set

The COALESCE Command – Fill In the Answers

The COALESCE Answer Set

COALESCE is Equivalent to This CASE Statement

The Basics of CAST (Convert and Store)

Some Great CAST (Convert and Store) Examples

A Rounding Example

Quiz - The Basics of the CASE Statements

Answer to Quiz - The Basics of the CASE Statements

Using an ELSE in the Case Statement

Using an ELSE as a Safety Net

Rules for a Valued Case Statement

Rules for a Searched Case Statement

Valued Case Vs. A Searched Case

Quiz - Valued Case Statement

Answer - Valued Case Statement

Quiz - Searched Case Statement

Answer - Searched Case Statement

The CASE Challenge

The CASE Challenge Answer

Combining Searched Case and Valued Case

A Trick for getting a Horizontal Case

Nested Case

Put a CASE in the ORDER BY

View Functions

The Fundamentals of Views

Creating a Simple View to Restrict Sensitive Columns

You SELECT From a View

Creating a Simple View to Restrict Rows

A View Provides Security for Columns and Rows

Basic Rules for Views

How to Modify a View

An Exception to the ORDER BY Rule inside a View

Views Are Sometimes CREATED for Formatting

Creating a View to Join Tables Together

How to Alias Columns in a View CREATE

The Standard Way Most Aliasing is done

What Happens When Both Aliasing Options Are Present

Resolving Aliasing Problems in a View CREATE

Answer to Resolving Aliasing Problems in a View CREATE

Aggregates on View Aggregates

Altering a Table after a View Has Been Created

A View that Errors after an ALTER

Set Operators Functions

Rules of Set Operators

INTERSECT Explained Logically

INTERSECT Explained Logically

UNION Explained Logically

UNION Explained Logically

UNION ALL Explained Logically

UNION ALL Explained Logically

Minus Explained Logically

Minus Explained Logically

An Equal Amount of Columns in both SELECT List

Columns in the SELECT list should be from the same Domain

The Top Query handles all Aliases

The Bottom Query does the ORDER BY

Great Trick: Place your Set Operator in a Derived Table

UNION Vs UNION ALL

A Great Example of how MINUS works

USING Multiple SET Operators in a Single Request

Changing the Order of Precedence with Parentheses

Using UNION ALL for speed in Merging Data Sets

Table Create and Data Types

The Basics of Creating a Table

Creating a Table with Default Values

Altering a Table to Add a Column

Altering a Table to Drop a Column

Renaming a Table

Dropping a Table

Defining Primary Keys

Defining a Primary Key after the Table Has Been Created

Defining a Foreign Key after the Table Has Been Created

Creating a Table Using a CTAS

Creating a Table Using a CTAS Join

Creating a Global Temporary Table Using a CTAS

Creating a Global Temporary Table Using a CTAS Join

Creating a Temporary Table from Another's Space

Manipulation Language (DML)

INSERT Syntax # 1

INSERT example with Syntax 1

INSERT Syntax # 2

INSERT example with Syntax 2

INSERT/SELECT Command

INSERT/SELECT example using All Columns (*)

INSERT/SELECT example with Less Columns

Two UPDATE Examples

Subquery UPDATE Command Syntax

Example of Subquery UPDATE Command

Join UPDATE Command Syntax

The DELETE Command Basic Syntax

DELETE ALL Rows in a Table

A DELETE Example Deleting only Some of the Rows

Example of Subquery DELETE Command

Example of Subquery DELETE That Gets Rid of Null Values

Statistical Aggregate Functions

Numeric Manipulation Functions

The Stats Table

The STDDEV_POP Function

The STDDEV_POP Example

The STDDEV_SAMP Function

A STDDEV_SAMP Example

The VAR_POP Function

A VAR_POP Example

The VAR_SAMP Function

A VAR_SAMP Example

The VARIANCE Function

A VARIANCE Example

The CORR Function

A CORR Example

Another CORR Example so you can compare

The COVAR_POP Function

A COVAR_POP Example

Another COVAR_POP Example so you can compare

The COVAR_SAMP Function

A COVAR_SAMP Example

Another COVAR_SAMP Example so you can compare

The REGR_INTERCEPT Function

A REGR_INTERCEPT Example

Another REGR_INTERCEPT Example so you can compare

The REGR_SLOPE Function

A REGR_SLOPE Example

Another REGR_SLOPE Example so you can compare

The REGR_AVGX Function

A REGR_AVGX Example

Another REGR_AVGX Example so you can compare

The REGR_AVGY Function

A REGR_AVGY Example

Another REGR_AVGY Example so you can compare

The REGR_COUNT Function

A REGR_COUNT Example

The REGR_R2 Function

A REGR_R2 Example

The REGR_SXX Function

A REGR_SXX Example

The REGR_SXY Function

A REGR_SXY Example

The REGR_SYY Function

A REGR_SYY Example

Using GROUP BY

