



SQL Server SQL Class Outline

The Basics of SQL

Introduction

Setting Your Default Database

SELECT * (All Columns) in a Table

Fully Qualifying a Database, Schema and Table

SELECT Specific Columns in a Table

Commas in the Front or Back?

Place your Commas in front for better Debugging Capabilities

Sort the Data with the ORDER BY Keyword

ORDER BY Defaults to Ascending

Use the Name or the Number in your ORDER BY Statement

Two Examples of ORDER BY using Different Techniques

Changing the ORDER BY to Descending Order

NULL Values sort First in Ascending Mode (Default)

NULL Values sort Last in Descending Mode (DESC)

Major Sort vs. Minor Sorts

Multiple Sort Keys using Names vs. Numbers

Sorts are Alphabetical, NOT Logical

Using A CASE Statement to Sort Logically

An Order by That Uses an Expression

How to ALIAS a Column Name

Aliasing a Column Name with Spaces or Reserved Words

A Missing Comma can by Mistake become an Alias

Comments using Double Dashes are Single Line Comments

Comments for Multi-Lines

Comments for Multi-Lines as Double Dashes per Line

A Great Technique for Comments to Look for SQL Errors

sp_help at the Database Level

sp_help at the Object Level

Getting System Information

Getting Additional System Information

The WHERE Clause

The WHERE Clause limits Returning Rows

Double Quoted Aliases are for Reserved Words and Spaces

Using A Column ALIAS In A WHERE Clause

Using A Column ALIAS In An ORDER BY Clause

In What Order Does SQL Server Process A Query?

Character Data needs Single Quotes in the WHERE Clause

Character Data needs Single Quotes, but Numbers Don't

Declaring a Variable

Comparisons against a Null Value

NULL means UNKNOWN DATA so Equal (=) won't Work

Use IS NULL or IS NOT NULL when dealing with NULLs

NULL is UNKNOWN DATA so NOT Equal won't Work

Use IS NULL or IS NOT NULL when dealing with NULLs

Using Greater Than or Equal To (>=)

AND in the WHERE Clause

Troubleshooting AND

OR in the WHERE Clause

Troubleshooting Or

Troubleshooting Character Data

Using Different Columns in an AND Statement

Quiz – How many rows will return?

Answer to Quiz – How many rows will return?

What is the Order of Precedence?

Using Parentheses to change the Order of Precedence

Using an IN List in place of OR

The IN List is an Excellent Technique

IN List vs. OR brings the same Results

The IN List Can Use Character Data

Using a NOT IN List

Null Values in a NOT IN List Bring Back No Rows

A Technique for Handling Nulls with a NOT IN List

BETWEEN is Inclusive

NOT BETWEEN is Also Inclusive

LIKE command Underscore is Wildcard for one Character

LIKE command using a Range of Values

LIKE command using a NOT Range of Values

LIKE Command Works Differently on Char Vs Varchar

Troubleshooting LIKE Command on Character Data

Introducing the RTRIM Command

Quiz – What Data is Left Justified and what is Right?

Numbers are Right Justified and Character Data is Left

Answer – What Data is Left Justified and what is Right?

An Example of Data with Left and Right Justification

A Visual of CHARACTER Data vs. VARCHAR Data

RTRIM command Removes Trailing spaces on CHAR Data

Using Like with an AND Clause to Find Multiple Letters

Using Like with an OR Clause to Find Either Letters

Declaring a Variable and using it with the LIKE Command

Escape Character in the LIKE Command changes Wildcards

Escape Characters Turn off Wildcards in the LIKE Command

Quiz – Turn off that Wildcard

ANSWER – To Find that Wildcard

Distinct, Group By and TOP

The Distinct Command

Distinct vs. GROUP BY

Quiz – How many rows come back from the Distinct?

Answer – How many rows come back from the Distinct?

TOP Command

TOP Command is brilliant when ORDER BY is used!

TOP Command with PERCENT

TOP Command with PERCENT

The TOP Command WITH TIES

The TOP Command Using a Variable

The TOP 1 Command for a Random Sample

Aggregation

Quiz – You calculate the Answer Set in your own Mind

Answer – You calculate the Answer Set in your own Mind

The 3 Rules of Aggregation

There are Five Aggregates

Quiz – How many rows come back?

Answer – How many rows come back?

Troubleshooting Aggregates

GROUP BY when Aggregates and Normal Columns Mix

GROUP BY delivers one row per Group

Count_Big

Limiting Rows and Improving Performance with WHERE

WHERE Clause in Aggregation limits unneeded Calculations

Keyword HAVING tests Aggregates after they are totaled

CHECKSUM_AGG to Check If a Table Has Changed

Using Distinct Within the Aggregate

Group by Grouping Sets

Group by Rollup

Answer Set for Group by Rollup Query

Creating a Cube

Answer Set for Cube Query

An Easy Example of Creating a Cube

Quiz - GROUP BY GROUPING SETS Challenge

Answer To Quiz - GROUP BY GROUPING SETS Challenge

Getting the Average Values per Column

Average Values per Column for all Columns in a Table

Join Functions

A Two-Table Join Using Traditional Syntax

A two-table join using Non-ANSI Syntax with Table Alias

You Can Fully Qualify All Columns

A two-table join using ANSI Syntax

Both Queries have the same Results and Performance

Quiz – Can You Finish the Join Syntax?

Answer to Quiz – Can You Finish the Join Syntax?

Quiz – Can You Find the Error?

Answer to Quiz – Can You Find the Error?

Super Quiz – Can You Find the Difficult Error?

Answer to Super Quiz – Can You Find the Difficult Error?

Quiz – Which rows from both tables won't return?

Answer to Quiz – Which rows from both tables Won't Return?

LEFT OUTER JOIN

LEFT OUTER JOIN Results

RIGHT OUTER JOIN

RIGHT OUTER JOIN Example and Results

FULL OUTER JOIN

FULL OUTER JOIN Results

Which Tables are the Left and which Tables are Right?

Answer - Which Tables are the Left and which are the Right?

INNER JOIN with Additional AND Clause

ANSI INNER JOIN with Additional AND Clause

ANSI INNER JOIN with Additional WHERE Clause

OUTER JOIN with Additional WHERE Clause

OUTER JOIN with Additional AND Clause

OUTER JOIN with Additional AND Clause Results

Quiz – Why is this considered an INNER JOIN?

Evaluation Order for Outer Queries

The DREADED Product Join

The DREADED Product Join Results

The Horrifying Cartesian product Join

The ANSI Cartesian Join will ERROR

Quiz – Do these Joins Return the Same Answer Set?

Answer – Do these Joins Return the Same Answer Set?

The CROSS JOIN

The CROSS JOIN Answer Set

The Self Join

The Self Join with ANSI Syntax

Quiz – Will both queries bring back the same Answer Set?

Answer – Will both queries bring back the same Answer Set?

Quiz – Will both queries bring back the same Answer Set?

Answer – Will both queries bring back the same Answer Set?

How would you join these two tables?

An Associative Table is a Bridge that Joins Two Tables

Quiz – Can you write the 3-Table Join?

Answer to quiz – Can you write the 3-Table Join?

Quiz – Can you write the 3-Table Join to ANSI Syntax?

Answer – Can you write the 3-Table Join to ANSI Syntax?

Quiz – Can you Place the ON Clauses at the End?

Answer – Can you Place the ON Clauses at the End?

The 5-Table Join – Logical Insurance Model

Quiz - Write a Five Table Join Using ANSI Syntax

Answer - Write a Five Table Join Using ANSI Syntax

Quiz - Write a Five Table Join Using Non-ANSI Syntax

Answer - Write a Five Table Join Using Non-ANSI Syntax

Quiz -Re-Write this putting the ON clauses at the END

Answer -Re-Write this putting the ON clauses at the END

Date Functions

Current_Timestamp

Getdate

Date and Time Keywords

SYSDATETIMEOFFSET Provides the Timezone Offset

SYSDATETIMEOFFSET Provides the Timezone Offset

Using both CAST and CONVERT in Literal Values

Using Both CAST and CONVERT in Literal Values

Using both CAST and CONVERT in Literal Values

The DATEADD Function

The DATEDIFF Function

DATEADD Function

A Real World Example for DateAdd Using the Order Table

DATEPART Function

DATEPART Function Examples

YEAR, MONTH, and DAY Functions

A Better Technique for YEAR, MONTH, and DAY Functions

DATENAME Function

Date Formatting

Time Formatting

ISDATE Function

Temporary Tables

There are three types of Temporary Tables in TEMPDB

Tables in TEMPDB are not your only Temporary Storage

What is TEMPDB?

Creating a Private Temporary Table

You Populate a Private Temporary Table with an INSERT/SELECT

The Three Steps to Use a Private Temporary Table

Creating a Global Temporary Table

You Populate a Global Temporary Table with an INSERT/SELECT

The Three Steps to Use a Global Temporary Table

Creating a Direct Temporary Table

You Populate a Direct Temporary Table with an INSERT/SELECT

The Three Steps to Use a Direct Temporary Table

CREATING A Derived Table

Naming the Derived Table

Aliasing the Column Names in the Derived Table

Multiple Ways to Alias the Columns in a Derived Table

CREATING a Derived Table using the WITH Command

The Same Derived Query shown Three Different Ways

MULTIPLE Derived Tables using the WITH Command

Column Alias Can Default For Normal Columns

Most Derived Tables Are Used To Join To Other Tables

A Join Example Showing Different Column Alias Styles

The Three Components of a Derived Table

Visualize This Derived Table

Our Join Example With the WITH Syntax

Quiz - Answer the Questions

Answer to Quiz - Answer the Questions

Clever Tricks on Aliasing Columns in a Derived Table

A Derived Table lives only for the lifetime of a single query

An Example of Two Derived Tables in a Single Query

RECURSIVE Derived Table Hierarchy

RECURSIVE Derived Table Query

RECURSIVE Derived Table Definition

WITH RECURSIVE Derived Table Seeding

WITH RECURSIVE Derived Table Looping

RECURSIVE Derived Table Looping in Slow Motion

RECURSIVE Derived Table Looping Continued

RECURSIVE Derived Table Looping Continued

RECURSIVE Derived Table Ends the Looping

RECURSIVE Derived Table Definition

RECURSIVE Derived Table Answer Set

Using a Table Variable

Sub-query Functions

An IN List is much like a Subquery

An IN List Never has Duplicates – Just like a Subquery

An IN List Ignores Duplicates

The Subquery

The Three Steps of How a Basic Subquery Works

These are Equivalent Queries

The Final Answer Set from the Subquery

Quiz- Answer the Difficult Question

Answer to Quiz- Answer the Difficult Question

Should you use a Subquery of a Join?

Quiz- Write the Subquery

Answer to Quiz- Write the Subquery

Quiz- Write the More Difficult Subquery

Answer to Quiz- Write the More Difficult Subquery

Quiz – Write the Extreme Subquery

Answer to Quiz – Write the Extreme Subquery

Quiz- Write the Subquery with an Aggregate

Answer to Quiz- Write the Subquery with an Aggregate

Quiz- Write the Correlated Subquery

Answer to Quiz- Write the Correlated Subquery

The Basics of a Correlated Subquery

The Top Query always runs first in a Correlated Subquery

Correlated Subquery Example vs. a Join with a Derived Table

Quiz- A Second Chance to Write a Correlated Subquery

Answer - A Second Chance to Write a Correlated Subquery

Quiz- A Third Chance to Write a Correlated Subquery

Answer - A Third Chance to Write a Correlated Subquery

Quiz- Last Chance to Write a Correlated Subquery

Answer – Last Chance to Write a Correlated Subquery

Quiz – Write the Extreme Correlated Subquery

Answer To Quiz – Write the Extreme Correlated Subquery

Quiz- Write the NOT Subquery

Answer to Quiz- Write the NOT Subquery

Quiz- Write the Subquery using a WHERE Clause

Answer - Write the Subquery using a WHERE Clause

Quiz – Write the Triple Subquery

Answer to Quiz – Write the Triple Subquery

Quiz – How many rows return on a NOT IN with a NULL?

Answer – How many rows return on a NOT IN with a NULL?

How to handle a NOT IN with Potential NULL Values

Using a Correlated Exists

How a Correlated Exists matches up

The Correlated NOT Exists

The Correlated NOT Exists Answer Set

Quiz – How many rows come back from this NOT Exists?

Answer – How many rows come back from this NOT Exists?

Window Functions OLAP

The Row_Number Command

Quiz – How did the Row_Number Reset?

Quiz – How did the Row_Number Reset?

Using a Derived Table and Row_Number

Ordered Analytics OVER

RANK and DENSE RANK

RANK Defaults to Ascending Order

Getting RANK to Sort in DESC Order

RANK () OVER and PARTITION BY

CSUM – Rows Unbounded Preceding Explained

CSUM – Making Sense of the Data

CSUM – Making Even More Sense of the Data

CSUM – The Major and Minor Sort Key(s)

The ANSI CSUM – Getting a Sequential Number

Troubleshooting the ANSI OLAP on a GROUP BY

Reset with a PARTITION BY Statement

PARTITION BY only Resets a Single OLAP not ALL of them

CURRENT ROW AND UNBOUNDED FOLLOWING

Different Windowing Options

Moving Sum has a Moving Window

How ANSI Moving SUM Handles the Sort

Quiz – How is that Total Calculated?

Answer to Quiz – How is that Total Calculated?

Moving SUM every 3-rows Vs a Continuous Average

Partition by Resets an ANSI OLAP

The Moving Window is Current Row and Preceding

How Moving Average Handles the Sort

Moving Average

Moving Average

Quiz – How is that Total Calculated?

Answer to Quiz – How is that Total Calculated?

Quiz – How is that 4th Row Calculated?

Answer to Quiz – How is that 4th Row Calculated?

Moving Average every 3-rows Vs a Continuous Average

Partition by Resets an ANSI OLAP

Moving Difference using ANSI Syntax

Moving Difference using ANSI Syntax with Partition By

COUNT OVER for a Sequential Number

COUNT OVER without Rows Unbounded Preceding

Quiz – What caused the COUNT OVER to Reset?

Answer to Quiz – What caused the COUNT OVER to Reset?

The MAX OVER Command

MAX OVER with PARTITION BY Reset

MAX OVER Without Rows Unbounded Preceding

The MIN OVER Command

Troubleshooting MIN OVER

Finding a Value of a Column in the Next Row with MIN

The CSUM for Each Product_Id and the Next Start Date

Quiz – Fill in the Blank

Answer – Fill in the Blank

How Ntile Works

Ntile

Ntile Continued

Ntile Percentile

Another Ntile Example

Using Tertiles (Partitions of Four)

NTILE

NTILE Using a Value of 10

NTILE with a Partition

Using FIRST_VALUE

FIRST_VALUE

FIRST_VALUE after Sorting by the Highest Value

FIRST_VALUE with Partitioning

Using LAST_VALUE

LAST_VALUE

Using LAG and LEAD

Using LEAD

Using LEAD With and Offset of 2

LEAD

LEAD With Partitioning

Using LAG

LAG

LAG with Partitioning

CUME_DIST

SUM (SUM (n))

Working with Strings

The ASCII Function

The CHAR Function

The UNICODE Function

The NCHAR Function

The LEN Function

The DATALENGTH Function

Concatenation

The RTRIM and LTRIM Command trims Spaces

The SUBSTRING Command

Using SUBSTRING to move backwards

How SUBSTRING Works with a Starting Position of -1

How SUBSTRING Works with an Ending Position of 0

Concatenation and SUBSTRING

SUBSTRING and Different Aliasing

The LEFT and RIGHT Functions

Four Concatenations Together

The DATALENGTH Function and RTRIM

A Visual of the TRIM Command Using Concatenation

CHARINDEX Function Finds a Letter(s) Position in a String

The CHARINDEX Command is brilliant with SUBSTRING

The CHARINDEX Command Using a Literal

PATINDEX Function

PATINDEX Function to Find a Character Pattern

SOUNDEX Function to Find a Sound

DIFFERENCE Function to Quantile a Sound

The REPLACE Function

LEN and REPLACE Functions for Number of Occurrences

REPLICATE Function

STUFF Function

STUFF without Deleting Function

UPPER and lower Functions

Chapter 12 - Interrogating the Data

Quiz – What would the Answer be?

Answer to Quiz – What would the Answer be?

The NULLIF Command

Quiz – Fill in the Answers for the NULLIF Command

Answer– Fill in the Answers for the NULLIF Command

The COALESCE Command – Fill In the Answers

The COALESCE Answer Set

COALESCE is Equivalent to This CASE Statement

The Basics of CAST (Convert and Store)

Some Great CAST (Convert and Store) Examples

Some Great CAST (Convert and Store) Examples

A Rounding Example

Quiz - CAST Examples

Answer to Quiz - CAST Examples

Quiz - The Basics of the CASE Statements

Answer to Quiz - The Basics of the CASE Statements

Using an ELSE in the Case Statement

Using an ELSE as a Safety Net

Rules for a Valued Case Statement

Rules for a Searched Case Statement

Valued Case Vs. A Searched Case

Quiz - Valued Case Statement

Answer - Valued Case Statement

Quiz - Searched Case Statement

Answer - Searched Case Statement

Quiz - When NO ELSE is present in CASE Statement

Answer - When NO ELSE is present in CASE Statement

Quiz -When an Alias is NOT used in a CASE Statement

Answer -When an Alias is NOT used in a CASE Statement

Combining Searched Case and Valued Case

A Trick for getting a Horizontal Case

Nested Case

Put a CASE in the ORDER BY

Table Create and Data Types

Creating a Table that is a Heap

Heap Page

Extents

Creating a Table That Has a Clustered Index

Clustered Index Page

When Do I Create a Clustered Index?

B-Trees

The Building of a B-Tree for a Clustered Index (1 of 3)

The Building of a B-Tree for a Clustered Index (2 of 3)

The Building of a B-Tree for a Clustered Index (3 of 3)

The Row Offset Array is the Guidance System for Every Row

The Row Offset Array Provides Two Search Options (1 of 2)

The Row Offset Array Provides Two Search Options (2 of 2)

The Row Offset Array Helps with Inserts

Adding an Index

When Do I Create a Non Clustered Index?

B-Tree for Non Clustered Index on a Clustered Table (1 of 2)

B-Tree for Non Clustered Index on a Clustered Table (2 of 2)

Adding a Non Clustered Index to a Heap

B-Tree for Non Clustered Index on a Heap Table (1 of 2)

B-Tree for a Non Clustered Index on a Heap Table (2 of 2)

SELECT INTO

SELECT INTO

A Primary Key Constraint

The Difference between a Primary key vs. Unique Constraint

Primary Key Foreign Key Constraints

More Information about Foreign Key Constraints

Check Constraint

Default Values

Identity Columns

Computed Columns

Compression

ROWVERSION

View Functions

The Fundamentals of Views

Creating a Simple View to Restrict Sensitive Columns

Creating a Simple View to Restrict Rows

Basic Rules for Views

How to Modify a View

Why Bother To ALTER A View

Two Exceptions to the ORDER BY Rule inside a View

How to Get HELP with a View

How to Get HELP with a View

Views sometimes CREATED for Formatting or Row Security

Creating a View to Join Tables Together

You Select From a View

Another Way to Alias Columns in a View CREATE

The Standard Way Most Aliasing is done

What Happens When Both Aliasing Options Are Present

Resolving Aliasing Problems in a View CREATE

Answer to Resolving Aliasing Problems in a View CREATE

Aggregates on View Aggregates

Altering a Table

Altering a Table after a View has been created

A View that Errors after An ALTER

Troubleshooting a View

Updating Data in a Table through a View

Loading Data through a View

Maintenance Restrictions on a Table through a View

Data Manipulation Language (DML)

INSERT Syntax # 1

INSERT Example with Syntax 1

INSERT Syntax #2

INSERT Example with Syntax 2

INSERT Example with Syntax 3

INSERT/SELECT Command

INSERT/SELECT Example using All Columns (*)

INSERT/SELECT Example with Less Columns

The UPDATE Command Basic Syntax

Two UPDATE Examples

Subquery UPDATE Command Syntax

Example of Subquery UPDATE Command

Join UPDATE Command Syntax

Example of an UPDATE Join Command

Fast UPDATE

The DELETE Command Basic Syntax

Two DELETE Examples to DELETE ALL Rows in a Table

To DELETE or to TRUNCATE

TRUNCATE is Different from DELETE

A DELETE Example Deleting only Some of the Rows

Want to know How Many Rows were just changed

Subquery and Join DELETE Command Syntax

Example of Subquery DELETE Command

Example of Join DELETE Command

MERGE INTO

MERGE INTO

MERGE INTO

MERGE INTO

MERGE INTO

MERGE INTO Example that Matches

MERGE INTO Example that does NOT Match

User Defined Functions (UDFs)

User Defined Functions (UDFs)

User Defined Function Example

Replace

Replace

User Defined Types (UDTs)

Set Operators Functions

Rules of Set Operators

INTERSECT Explained Logically

INTERSECT Explained Logically

UNION Explained Logically

UNION Explained Logically

UNION ALL Explained Logically

UNION ALL Explained Logically

EXCEPT Explained Logically

Another EXCEPT Example

EXCEPT Explained Logically in Reverse Order

An Equal Amount of Columns in both SELECT List

Columns in the SELECT list should be from the same Domain

The Top Query handles all Aliases

The Bottom Query does the ORDER BY

Great Trick: Place your Set Operator in a Derived Table

UNION Vs UNION ALL

Using UNION ALL and Literals

A Great Example of how EXCEPT works

USING Multiple SET Operators in a Single Request

Changing the Order of Precedence with Parentheses

Building Grouping Sets Using UNION

Three Grouping Sets Using a UNION

Stored Procedures

Creating a Stored Procedure

Executing a Stored Procedure

There are Three Ways to Execute a Stored Procedure

Dropping a Stored Procedure

Passing an Input Parameter to a Stored Procedure

Executing With Positional Parameters vs. Named Parameters

Passing an Output Parameter to a Stored Procedure

Changing a Stored Procedure with an ALTER

Answer Set for the Altered Stored Procedure

Displaying a Stored Procedure's Definition

Encrypting a Stored Procedure's Definition

Using a Stored Procedure to Delete a Row

A Different Method to Delete a Row

Deleting a Row Using an Input Parameter

Using Loops in Stored Procedures

Stored Procedure Workshop

Looping with a WHILE Statement

Statistical Aggregate Functions

The Stats Table

Above is the Stats_Table data in which we will use in our statistical examples.

The VAR and VARP Functions

A VAR Example

A VARP Example

The STDEV and STDEVP Functions

A STDEV Example

A STDEVP Example

Nexus

Nexus is Now Available on the Microsoft Azure Cloud

Nexus Queries Every Major System

Setup of Nexus is as easy as pie

Setup of Nexus is as easy as 1, 2, 3

Nexus Data Visualization

Nexus Data Visualization

Nexus Data Visualization Shows What Tables Can Be Joined

Nexus is doing a Five-Table Join

Nexus Generates the SQL Automatically

Nexus Delivers the Report

Cross-System Joins from Teradata, Oracle and SQL Server

The Tab of the Super Join Builder

The 9 Tabs of the Super Join Builder – Objects Tab 1

Selecting Columns in the Objects Tab

The 9 Tabs of the Super Join Builder – Columns Tab 2

Removing Columns from the Report in the Columns Tab

The 9 Tabs of the Super Join Builder – Sorting Tab 3

The 9 Tabs of the Super Join Builder – Joins Tab 4

The 9 Tabs of the Super Join Builder – Where Tab 5

Using the WHERE Tab For Additional WHERE or AND

The 9 Tabs of the Super Join Builder – SQL Tab 6

The 9 Tabs of the Super Join Builder – Answer Set Tab 7

The 9 Tabs of the Super Join Builder – Analytics Tab 9

Analytics Tab

Analytics Tab – OLAP Example

Analytics Tab – OLAP Example of SQL Generated

Analytics Tab – Grouping Sets Example

Analytics Tab – Grouping Sets Answer Set

Nexus Data Movement

Moving a Single Table to a Different System

The Single Table Data Movement Screen

Moving an Entire Database to a Different System

The Database Mover Screen

The Database Mover Options Tab

Converting DDL Table Structures

Converting DDL Table Structures

Converting DDL Table Structures

Hound Dog Compression

Hound Dog Compression on Teradata

